

MEETING ABSTRACT

Open Access

EHMTI-0092. Activation of the 5-HT_{2B} receptor induces dural plasma protein extravasation in a mouse migraine model

A Hunfeld*, M Kremser, D Segelcke, H Lübbert

From 4th European Headache and Migraine Trust International Congress: EHMTIC 2014 Copenhagen, Denmark. 18-21 September 2014

Introduction

Migraine attacks originate in the meninges which are densely innervated by trigeminal nerve fibers. Upon stimulation, endothelial cells of dural blood vessels secrete nitric oxide and as a consequence, neuropeptides are released from trigeminal nerve fibers. This, in turn, leads to meningeal plasmaproteinextravasation (PPE) and vasodilation. Inflammatory components such as PPE and vasodilation serve as indicators for migraine attacks in animal models. A guinea pig migraine model was described in which the partial 5-HT_{2B/2C} receptor agonist meta-Chlorphenylpiperazine (mCPP) is applied to induce PPE in the dura mater. We have transferred this model to mice.

Aim

Characterize the role of the 5-HT_{2B} in a mouse migraine model.

Methods

Tissue accumulation of the tracer Evans Blue is measured to quantify the extent of the PPE.

Results

Mice are only responsive to mCPP after several weeks of hypoxia. The induction of PPE in hypoxic mice is blocked by the specific 5-HT_{2B} receptor antagonist BF-1.

Conclusion

The 5-HT_{2B} receptors play a crucial role in the induction of migraine symptoms in hypoxic mice.

No conflict of interest.

Published: 18 September 2014

doi:10.1186/1129-2377-15-S1-F11

Cite this article as: Hunfeld *et al.*: EHMTI-0092. Activation of the 5-HT_{2B} receptor induces dural plasma protein extravasation in a mouse migraine model. *The Journal of Headache and Pain* 2014 **15**(Suppl 1):F11.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com

Animal Physiology, Faculty of Biology and Biotechnology, Bochum, Germany